CUT PERFECTLY
OVER AND
OVER AGAIN
BELLOTA
HARD WORK INSPIRED

MORE THAN 100 YEARS MANUFACTURING FOR YOU

OUR OWN DESIGN, DEVELOPMENT AND MANUFACTURING

- 4 REGISTERED DESIGNS
- 4 PATENTS
- 1 UTILITY MODEL

REGISTERED DESING®

Made in Spain with 100% European materials

TILE CUTTERS AND ACCESSORIES

Our tile cutters are precise. They cut perfectly over and over again. A patented design that guarantees maximum precision and comfort of use. To cut any tile, floor tile or porcelain. They won't let you down.

A PRECISE CUT

More stable bases and solid steel guides to guarantee the cut and precision.

LIGHT FOR CARRYING

Aluminium base and turrets for easy transportation.

ROBUST

Safe tools and ready for intensive use.

- LEAN RANGE NEW

- TECH RANGE

- PRO RANGE

- FIT RANGE NEW

- POP RANGE

- PASS RANGE NEW

LEAN

Manual ceramic tile cutter

LARGE FORMAT CERAMIC SLABS

LONG AND PRECISE. FOR LARGE FORMAT CERAMIC TILES UP TO 3,200 MM LONG AND 10 MM THICK.

With the introduction of the LEAN model, Bellota now offers a complete range of quality tile cutters: PASS, POP, FIT, PRO TECH and LEAN. LEAN is a large and precise machine designed to cut large formats of tiles (Slabs), up to 320 cm / 126 inches long: the essential tile cutter for the trending ceramic slab.

Large:
Built with high-performance materials, its design has been optimized piece by piece resulting in a longer-lasting machine. We use the best materials and structure designs to maximize rigidity and eliminate twisting and bending.

Precision:
The solidity and rigidity of the guides help ensure a clean and straight cut even with large tiles.
The scoring wheel is fully assembled to the sliding carriage and guarantee a straight cut.

▸ MEASUREMENTS AND WEIGHT OF THE PRODUCT

Ref	Cut length (mm)	Cut diagonal (mm)	Thickness max cut	Kg	Size (mm)		Consumable included
LEAN320	3.200	-	10	9	1.220x160x160	Bag	3 u. (Ref. GUIDELEAN), 4 u. (Ref. SUCLEAN), 1 u. (Ref. BREAKLEAN), 1 u. (Ref. PLIERLEAN), 1 u. Ref. SCRATLEAN), 1 u. (Ref. LEANRUL22), 2 u. scoring indicators, 1 u. (Ref. BAGLEAN)

▸ SCORING WHEEL

SCORING WHEEL	CUTTING LENGHT IN PORCELAIN	MACHINE
22 mm	3.000 m	LEAN

TECH

Manual ceramic tile cutters

LARGE FORMATS

ONE OF THE LIGHTEST MACHINES IN THE MARKET. ALUMINIUM FRAME

REGISTERED DESING ®

Made in Spain with 100% European materials

With the introduction of the TECH model, Bellota now off ers a complete range of quality tile cutters: POP, PRO and TECH. TECH is a sturdy, precise and light-weight machine designed to cut large formats of tiles, up to 125 cm / 49.2 inches: the essential tile cutter for the most demanding professional tile installers.

One-piece design philosophy:
Designed to work as a single unitary piece to guarantee a tool that is precise, sturdy and durable. TECH is designed to work with precision, day after day and cut after cut.

PATENT

Sturdiness:
Built with high-performance materials, TECH has a patented assembly system and its design has been optimized piece by piece resulting in a longer-lasting machine. We use the best materials and structure designs to maximize rigidity and eliminate twisting and bending. The patented assembly design results in the highest transmission of tile-breaking force and enhanced durability.

Precision:
The solidity and rigidity of the core structure help ensure a clean and straight cut even with large tiles. A force of only 2 kg / 4.4 lbs is necessary to properly score the tile.

▸ MEASUREMENTS AND WEIGHT OF THE PRODUCT

Ref	Cut length (mm)	Cut diagonal (mm)	Thickness max cut	Kg	Size (mm)		Consumable included
TECH-75	760	520x520	<20	15,4	983x362x230	Bag	8XL Scoring wheel
TECH-100	1.000	700x700	<20	17,9	1223x362x230	Bag	10XL Scoring wheel
TECH-125	1.200	880x880	<20	21	1473x362x230	Bag	10XL/18XL Scoring wheel

▸ SCORING WHEEL

SCORING WHEEL	CUTTING LENGHT IN PORCELAIN	MACHINE
8XLmm	1.200 m	TECH / FIT
10XLmm	1.500 m	TECH / FIT
18XLmm	2.000 m	TECH / FIT

- In titanium even 20% more.
- 30% more than competition.

PRO

Manual ceramic tile cutters

PRECISION AND ROBUST

REGISTERED DESING ®

Made in Spain with 100% European materials

Robust:
Extra wide flat steel base and wide double-anchored rail supports.

Accurate:
Breaking system separated from the guides so that pressure is not exerted on them, which guarantees an accurate cut time after time.

- **Easy and comfortable cut.** Cut without having to remove the scoring control lever. Suitable for right-handed and left-handed people.
- **Accurate.** Maximum cutting precision with minimum effort when scoring. To cut medium hard and hard materials.
- **Exclusive.** Unique aluminum design base and flat steel surface. Comes with a case, set square and a scoring wheel.

RIBBED ALUMINIUM columns, extra wide and with two anchorage points. Maximum robustness.

STRENGTHENED STEEL SEPARATOR, tee-format Maximum transmission of the power applied. Up to 500 kg.

PATENT

QUICK ADJUSTMENT OF THE SCORING WHEEL to the tile thickness and max- imum speed in changing the consumable.

ERGONOMIC HANDLE.

DUAL GUIDANCE that guarantees parallelism, precision and high visibility in the scoring.

ROUND chrome-plated solid steel guides to guarantee high resistance to abrasive wear, good sliding and scoring precision.

PATENT PLASTIC PADS

LEVER INTERCHANGEABLE FOR RIGHT AND LEFT HANDED.

PATENT

EXTRA WIDE Zamak slides with self lubricated liners. Maximum precision and smoothness. Avoid dirtiness.

TOOL HOLDER OF ZAMAK reinforced with central steel shaft. Maximum precision and smoothness.

FLAT CENTRAL BASE MADE OF ABRASION-RESISTANT STEEL Easy to clean.

INSTRUCTIONS ON USE

1. ADJUST CUTTING WHEEL

2. MARK AND SCORE

3. CUT (Right hand)

4. CUT (Left hand)

5. ANGLED

6. REPETITIVE CUTS

Robust and light case with handle, for the protection and easy transport of the machine.

SCORING WHEEL

SCORING WHEEL	CUTTING LENGHT IN PORCELAIN	MACHINE
6 mm	1.000 m	POP / PRO / PASS
8 mm	1.200 m	POP / PRO / PASS
10 mm	1.500 m	POP / PRO / PASS
18 mm	2.000 m	POP / PRO / PASS

- In titanium even 20% more.
- 30% more than competition.

MEASUREMENTS AND WEIGHT OF THE PRODUCT

Ref	Cut length (mm)	Cut diagonal (mm)	Thickness max cut	Kg	Size (mm)		Consumable included
PRO 72	720	500x500	15	11,9	915x330x110	Bag	Scoring wheel 6/10

FIT

Manual ceramic tile cutters

VERSATILE, CUTS UP TO 1.050 MM

Robust:
Steel base and wide double-anchored rail supports.

Versatile:
It cuts up to 1.050 mm and a thickness of 15 mm.

- Easy and comfortable cut. It can cut a thickness of up to 15 mm and it has a moving magnetic breaker.
- For cuts of up to 1.050 mm and it has a tile stop ruler for repetitive cuts and a set square for angle cuts. The side supports ensure that the tile is held in place better.

TILE STOP- RULER-SET SQUARE for repetitive cuts and cuts at 45º.

EASY TO ADJUST THE XL SCORING WHEEL. Quick change. It comes with an XL 8mm scoring wheel.

ERGONOMIC HANDLE.

DOUBLE GUIDES. Guarantees precision and makes it easier to see the scoring line.

ROUND GUIDES Solid chrome-plated to guarantee resistance to abrasion and wear. They slide well and score accurately.

FOAM CUSHIONING ON THE BASE to guarantee that the tile is stable for a perfect cut.

SOLID AND ROBUST STEEL BASE.

REINFORCED RAIL SUPPORTS made of aluminum, which are double-anchored to the base. Sturdy and stable.

CARRIAGES WITH BALL BEARINGS that slide back and forth smoothly when scoring.

MOVING MAGNETIC BREAKER. Designed to guarantee that the breaking load of 600Kg is distributed correctly and so that it is easy to use.

SUPPORT WINGS to position large tiles properly and make sure they are stable.

INSTRUCTIONS ON USE

1. ADJUST CUTTING WHEEL

2. MARK AND SCORE

3. CUT

4. ANGLED

MEASUREMENTS AND WEIGHT OF THE PRODUCT

Ref	Cut length (mm)	Cut diagonal (mm)	Thickness max cut	Kg	Size (mm)		Consumable included
FIT-80	850	560x560	15	9	1040 x 250 x 120	-	XL 8 Scoring wheel
FIT-100	1.050	700x700	15	11	1240 x 250 x 120	-	XL 8 Scoring wheel
FIT-80B	850	560x560	15	9	1040 x 250 x 120	Bag	XL 8 Scoring wheel
FIT-100B	1.050	700x700	15	11	1240 x 250 x 120	Bag	XL 8 Scoring wheel

SCORING WHEEL

SCORING WHEEL	CUTTING LENGHT IN PORCELAIN	MACHINE
8XLmm	1.200 m	TECH / FIT
10XLmm	1.500 m	TECH / FIT
18XLmm	2.000 m	TECH / FIT

- In titanium even 20% more.
- 30% more than competition.

POP

Manual ceramic tile cutters

PRECISION AND LIGHTWEIGHT

REGISTERED DESING ®

Made in Spain with 100% European materials

ABLE TO CUT PORCELAIN TILES UP TO 12 MM VERY LIGHT. FULLY IN ALUMINIUM

INSTRUCTIONS ON USE

1. INSTRUCTIONS ON USE

2. MARK

3. SCORE

4. POSITION THE CLAMP

5. CUT

6. ANGLED

STOP-RULE-BRACKET to facilitate repetitive cuts and cutting at 45° (included in POP R).

EXTRA WIDE TRAPEZOIDAL slides to enhance guidance in the scoring and load distribution in the breakage/ separation.

DUAL GUIDANCE that guarantees parallelism, precision and high visibility in the scoring.

ERGONOMIC HANDLE

ROUND, CHROME-PLATED SOLID steel guides to guarantee high resistance to abrasive wear, good sliding and scoring precision.

BIGGER STOP to facilitate positioning of the tile.

BREAKER Robustly designed breaker to guarantee a good load distribution in the separation operation.

BASE OF INJECTED ALUMINIUM with central ribbed profile, extra wide to guarantee rigidity, stability and precision in cutting.

SUPPLEMENTS IN THE BASE to facilitate positioning and securing of large tiles.

RUBBERS IN THE BASE for proper seating of the tile and to damp the impact on breaking the ceramic.

ROBUST COLUMNS ribbed, with greater support surface in the base and double anchorage.

Robust and light case with handle, for the protection and easy transport of the machine.

MEASUREMENTS AND WEIGHT OF THE PRODUCT

Ref	Cut length (mm)	Cut diagonal (mm)	Thickness max cut	Kg	Size (mm)		Accessories	Consumable included
POP 50-B	530	380x380	12	4,1	700x180x105	Box		Scoring wheel 6
POP 50-C	530	380x380	12	4,1	700x180x105	Plastic case		Scoring wheel 6
POP 50-R-B	530	380x380	12	4,2	700x180x105	Box	Stop-rule- bracket assembly	Scoring wheel 6
POP 50-R-C	530	380x380	12	4,2	700x180x105	Plastic case	Stop-rule- bracket assembly	Scoring wheel 6
POP 60-B	630	450x450	12	4,5	800x180x105	Box		Scoring wheel 6
POP 60-C	630	450x450	12	4,5	800x180x105	Plastic case		Scoring wheel 6
POP 60-R-B	630	450x450	12	4,6	800x180x105	Box	Stop-rule- bracket assembly	Scoring wheel 6
POP 60-R-C	630	450x450	12	4,6	800x180x105	Plastic case	Stop-rule- bracket assembly	Scoring wheel 6

SCORING WHEEL

SCORING WHEEL	CUTTING LENGHT IN PORCELAIN	MACHINE
6 mm	1.000 m	POP / PRO / PASS
8 mm	1.200 m	POP / PRO / PASS
10 mm	1.500 m	POP / PRO / PASS
18 mm	2.000 m	POP / PRO / PASS

- In titanium even 20% more.
- 30% more than competition.

PASS

Manual ceramic tile cutters

ROBUST & PRECISION

ABLE TO CUT PORCELAIN TILES UP TO 12 MM

ERGONOMIC HANDLE

WIDE SLIDERS Bearings to ensure smooth cutting.

DUAL GUIDANCE that guarantees parallelism, precision and high visibility in the scoring.

ROUND, CHROME-PLATED SOLID steel guides to guarantee high resistance to abrasive wear, good sliding and scoring precision.

STOP-RULE-BRACKET to facilitate repetitive cuts and cutting at 45°

RUBBERS IN THE BASE for proper seating of the tile and to damp the impact on breaking the ceramic.

BREAKER Robustly designed breaker to guarantee a good load distribution in the separation operation.

ROBUST STEEL BASE WITH LEGS AND FOAM CUSHIONING to position large tiles properly and make sure they are stable when scoring.

BASE OF STEEL extra wide to guarantee rigidity, stability and precision in cutting.

MEASUREMENTS AND WEIGHT OF THE PRODUCT

Ref	Cut length (mm)	Cut diagonal (mm)	Thickness max cut	Kg	Size (mm)		Accessories	Consumable included
PASS 60	610	420x420	12	7,5	800x170x110	Box	Stop-rule- bracket assembly	Scoring wheel 6

SCORING WHEEL

SCORING WHEEL	CUTTING LENGHT IN PORCELAIN	MACHINE
6 mm	1.000 m	POP / PRO / PASS
8 mm	1.200 m	POP / PRO / PASS
10 mm	1.500 m	POP / PRO / PASS
18 mm	2.000 m	POP / PRO / PASS

- In titanium even 20% more.
- 30% more than competition.

SCORING WHEELS: SCORE BETTER, LASTS LONGER

1 PRECISION
High quality Tungsten Carbide scoring wheel.

2 EFFICIENCY
Bellota scoring wheels last for up to 25% longer. Bellota Titanium Nitride scoring wheels last for up to 45% longer.

3 ROBUST AND RESISTANT
Manufactured with special Bellota steel.

▸ POP-PRO-PASS SCORING WHEELS

Ref	Mod	Materials	Machine	g	📦
RODEL6	Scoring Wheel 6	Porcelanic/Ceramic	PASS/PRO/POP	50	10
RODEL8	Scoring Wheel 8	Porcelanic/Gres/Ceramic	PASS/PRO/POP	55	10
RODEL10	Scoring Wheel 10	Porcelanic/Gres/Ceramic	PASS/PRO/POP	60	10
RODEL18	Scoring Wheel 18	Gres/Rustic	PASS/PRO/POP	70	10
RODEL8T	Scoring Wheel 8T (Titanium)	Porcelanic/Gres/Ceramic	PASS/PRO/POP	55	10
RODEL10T	Scoring Wheel 10T (Titanium)	Porcelanic/Gres/Ceramic	PASS/PRO/POP	60	10
RODEL18T	Scoring Wheel 18T (Titanium)	Gres/Rustic	PASS/PRO/POP	70	10

▸ TECH-FIT SCORING WHEEL

To increase the performance of the **TECH & FIT** tiles cutters, Bellota has developed a range of scoring wheels with forged steel shafts and oversized blades: the **XL** and the **XL Titanium**.

Ref	Mod	Materials	Machine	g	📦
RODELXL8	Scoring Wheel XL8	Porcelanic/Ceramic	TECH / FIT	40	10
RODELXL10	Scoring Wheel XL10	Porcelanic/Gres/Ceramic	TECH / FIT	45	10
RODELXL18	Scoring Wheel XL18	Gres/Rustic	TECH / FIT	55	10
RODELXL8T	Scoring Wheel XL8T (Titanium)	Gres/Rustic	TECH / FIT	45	10
RODELXL10T	Scoring Wheel XL10T (Titanium)	Porcelanic/Gres	TECH / FIT	55	10
RODELXL18T	Scoring Wheel XL18T (Titanium)	Gres/Rustic	TECH / FIT	55	10

CHOOSE YOUR SCORING WHEEL

On what materials?	Ø 6 Use it on flat shiny surfaces	Ø 8 Use it on flat matt surfaces	Ø 10 Used on matt textured surfaces	Ø 18 Use it on rough textured surfaces	LEANRUL22 Ø 22 Used on ceramic wall tile slabs
Ceramic	▲▲▲	▲▲	▲▲		▲▲▲
Porcelain	▲▲	▲▲▲	▲▲▲	▲▲	▲▲▲
Rustic stoneware				▲▲▲	▲
Stoneware		▲▲	▲▲▲	▲▲▲	▲
Glass mosaic tiles	▲▲▲	▲▲		▲▲▲	▲▲▲
Rough tile		▲▲	▲▲▲	▲▲▲	▲

PERFORMANCE OF SCORING WHEELS & TITANIUM SCORING WHEELS

How many metres do they cut?	Ø 6	Ø 8	Ø 10	Ø 18	LEANRUL22 Ø 22
Normal scoring wheel	1.000 m	1.000 m	2.000 m	2.500 m	3.000 m
Titanium scoring wheel	-	1.200 m	2.400 m	3.000 m	-

+20% PERFORMACE WITH THE TITANIUM SCORING WHEELS

YOU MIGHT ALSO BE INTERESTED IN...

FOR DEMOLITION WORK

- **CARBON FIBER HANDLE SQUARE DRILLING HAMMER**
  5310CF

- **T HANDLE SQUARE SHOVEL**
  5502MA

- **COLD CHISEL**
  8251

- **CARBON FIBER HANDLE SLEDGE HAMMER**
  5200CF

FOR WALLS / FLOORS

- **TROWEL**
  5842

- **BLACK PLASTIC BUCKET 42 L.**
  BKT42BP

- **MIXER**
  M12LIGHT

- **PLUMB BOB**
  50250

FOR LEVELLING / FINISHING

- **BIMATERIAL HANDLE SQUARE PASTERING TROWEL**
  5861BIM

- **BIMATERIAL HANDLE SQUARE PASTERING TROWEL**
  5864BIM

- **LONG PLASTERING TROWEL**
  5865

- **SPONGE FLOAT**
  5889

- **BUCKET**
  BKW16BM

- **BOX LEVEL**
  50101-60

- **EXTRA BOX LEVEL**
  50107-80

YOU MIGHT ALSO BE INTERESTED IN...

FOR CUTTING

- **TILE CUTTER LEAN**
  LEAN320

- **TILE CUTTER FIT**
  FIT80

- **SCORING WHEEL**
  RODELXL10

- **STRAIGHT CUTS CERAMIC NIPPER**
  6003

- **SCORING WHEEL**
  RODEL6

- **UTHIN PORCELAIN DIAMOND CUTTING DISC**
  50734S-115

- **TILE CUTTER TECH**
  TECH125

- **TILE CUTTER PASS**
  PASS60

- **SCORING WHEEL**
  RODEL18

- **ABRASIVE CUTTING DISC STONE EXTRATHIN**
  50322-115

- **DIAMOND DRILL BITS**
  5075068

- **BIMATERIAL SHORT TAPE**
  500115

- **TILE CUTTER PRO**
  PRO72

- **TILE CUTTER POP**
  POP60

- **DIAMOND DRILL BITS**
  5075035

- **UNIVERSAL PENCIL**
  50243

FOR LAYING

- **BIMATERIAL HANDLE SQUARE NOTCHED TROWEL**
  5873BIM

- **RUBBER MALLET**
  8054-500

- **METAL PLIERS**
  LSPLIER

- **STAINLESS STEEL SQUARE NOTCHED TROWE**
  5874-08

- **MIXER PADDLE**
  50787

- **WEDGE**
  LSWEDGE

- **MIXER**
  M12LIGHT

- **PUSH**
  LSSCREW
  LSS010CROSS

- **WEDGE LEVELLING CROSSHEAD**
  LSW010

- **BLACK PLASTIC BUCKET 42 L.**
  BKT42BP

- **VACUUM SUCTION CUP**
  SUCR80RBP

- **TILE SPACER**
  SPC010

FOR GROUTING AND CLEANING

- **CLEANING FLOAT**
  5888

- **PROFESSIONAL TILING BUCKET**
  5800

- **CLEANING FLOAT**
  5888PE

- **SIMPLE SPONGE**
  CS12187S

- **EPOXY SPONGE FLOAT**
  FLTSP24P

- **EXTRA ABSORPTION MIXED SPONGE**
  CS12187MXE

- **SPARE SPONGE**
  SP24XP

- **COMPOUNDED RUBBER GROUT FLOAT**
  5898B

- **RUBBER GROUT FLOOR SPREADER**
  5886F

Bellota Herramientas, S.L.U

C/. Urola, nº 10. Apdo. nº 1, 20230 Legazpi. Guipúzcoa. Spain.

T. (+34) 943 73 90 00 / F. (+34) 943 73 15 01 / e-mail: comercial@bellota.com

www.bellota.com